

Safety Data Sheet

according to 29 CFR 1910.1200(g)

SoftC 2A

Revision date: 06.04.2020

Page 1 of 8

1. Identification**Product identifier**

SoftC 2A

Recommended use of the chemical and restrictions on use**Use of the substance/mixture**

test liquid for oil filters


Details of the supplier of the safety data sheet

Company name: Powder Technology Inc.
Street: 1300 Grey Fox Road
Place: USA-55112 Arden Hills, MN
Telephone: +1 952 894 -8737
e-mail: sales@powdertechologyinc.com
Internet: http://www.powdertechologyinc.com

Emergency phone number: +1 952 894 -8737**2. Hazard(s) identification****Classification of the chemical****29 CFR Part 1910.1200**

Aspiration hazard: Asp. Tox. 1

Respiratory or skin sensitization: Skin Sens. 1

Label elements**29 CFR Part 1910.1200****Signal word:** Danger**Pictograms:****Hazard statements**

May be fatal if swallowed and enters airways

May cause an allergic skin reaction

Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Immediately call a poison center/doctor.

Do NOT induce vomiting.

If on skin: Wash with plenty of Water.

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

Store locked up.

Dispose of waste according to applicable legislation.

Hazards not otherwise classified

The formation of combustible vapours is possible at temperatures above: Flash point. Vapours can form explosive mixtures with air.

3. Composition/information on ingredients**Mixtures**

Safety Data Sheet

according to 29 CFR 1910.1200(g)

SoftC 2A

Revision date: 06.04.2020

Page 2 of 8

Chemical characterization

Dispersion

Contains:

Carbon Black 16 %

CAS No. 1333-86-4

Iron (III) oxide (hematite) 2 %

CAS No. 1309-37-1

Hazardous components

CAS No	Components	Quantity
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified	78 %
8050-09-7	rosin; colophony	4 %

4. First-aid measures**Description of first aid measures****General information**

When in doubt or if symptoms are observed, get medical advice.

After inhalation

Provide fresh air. In case of irregular breathing or respiratory arrest provide artificial respiration. If experiencing respiratory symptoms: Call a doctor.

After contact with skin

Wash with plenty of water. Take off immediately all contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye irritation consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Observe risk of aspiration if vomiting occurs. Never give anything by mouth to an unconscious person or a person with cramps. Call a physician immediately.

Most important symptoms and effects, both acute and delayed

No information available.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. Fire-fighting measures**Extinguishing media****Suitable extinguishing media**

Suitable extinguishing media: Dry extinguishing powder. Foam. Water fog.

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

High power water jet.

Specific hazards arising from the chemical

Combustible. The formation of combustible vapours is possible at temperatures above: Flash point. Vapours can form explosive mixtures with air. The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration. Reignition possible over considerable distance.

Safety Data Sheet

according to 29 CFR 1910.1200(g)

SoftC 2A

Revision date: 06.04.2020

Page 3 of 8

In case of fire: Gases/vapours, toxic

Special protective equipment and precautions for fire-fighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep away from sources of ignition - No smoking. Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Remove persons to safety.

Environmental precautions

Avoid release to the environment.

Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Reference to other sections

Safe handling: see section 7
Personal protection equipment: see section 8
Disposal: see section 13

7. Handling and storage

Precautions for safe handling

Advice on safe handling

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid dust formation. Do not breathe dust. Wear personal protection equipment. Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. The formation of combustible vapours is possible at temperatures above: Flash point. Vapours can form explosive mixtures with air.

Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Provide adequate ventilation as well as local exhaust at critical locations.

Hints on joint storage

Do not store together with: Strong acid. Oxidising agent. Pyrophoric or self-heating substances.

Further information on storage conditions

Keep away from heat.

8. Exposure controls/personal protection

Control parameters

Safety Data Sheet

according to 29 CFR 1910.1200(g)

SoftC 2A

Revision date: 06.04.2020

Page 4 of 8

Exposure limits

CAS No.	Substance	ppm	mg/m ³	f/cc	Category	Origin
1333-86-4	Carbon black (in presence of polycyclic aromatic hydrocarbons (PAHs)) (as PAHs)	-	0.1		TWA (8 h)	REL
1333-86-4	Carbon black (inhalable fraction)		3		TWA (8 h)	ACGIH-2019
1333-86-4	Carbon black	-	3.5		TWA (8 h)	PEL
1309-37-1	Iron oxide (Fe ₂ O ₃) (respirable fraction)		5		TWA (8 h)	ACGIH-2019
1309-37-1	Iron oxide dust and fume (as Fe)	-	5		TWA (8 h)	REL
1309-37-1	Iron oxide fume	-	10		TWA (8 h)	PEL
-	Mineral oil, excluding metal working fluids (inhalable fraction); Pure, highly and severely refined		5		TWA (8 h)	ACGIH-2019
-	Mineral oil, excluding metal working fluids; Poorly and mildly refined	-	-		as low as possible	ACGIH-2019
8050-09-7	Rosin core solder thermal decomposition products (colophony)	-	-		as low as possible	ACGIH-2019

Exposure controls

Appropriate engineering controls

Provide adequate ventilation as well as local exhaust at critical locations.

Protective and hygiene measures

Do not breathe gas/fumes/vapour/spray. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Avoid contact with skin, eyes and clothes.

Eye/face protection

Wear eye protection/face protection. Required properties: liquid-tight.

Hand protection

Wear suitable gloves.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Suitable respiratory protective equipment: Filter respirator (DIN EN 147). Filtering device with filter or ventilator filtering device of type: A2

Generation/formation of mist: Filtering device (full mask or mouthpiece) with filter: A2P2

Environmental exposure controls

Avoid release to the environment.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state:	liquid
Color:	black
Odor:	Mineral oil
pH-Value:	not determined

Safety Data Sheet

according to 29 CFR 1910.1200(g)

SoftC 2A

Revision date: 06.04.2020

Page 5 of 8

Changes in the physical state

Melting point/freezing point:	not determined
Initial boiling point and boiling range:	270 - 360 °C
Flash point:	220 °C

Flammability

Solid:	not determined
Gas:	not applicable

Explosive properties

The formation of combustible vapours is possible at temperatures above: Flash point. Vapours can form explosive mixtures with air.

Lower explosion limits:	not determined
Upper explosion limits:	not determined
Ignition temperature:	not determined

Auto-ignition temperature

Solid:	not determined
Gas:	not applicable

Decomposition temperature: not determined

Oxidizing properties

Not oxidising.

Vapor pressure:	not determined
Density:	> 1 g/cm ³
Water solubility:	Immiscible

Solubility in other solvents

not determined

Partition coefficient:	not determined
Viscosity / dynamic:	not determined
Viscosity / kinematic:	not determined
Vapor density:	not determined
Evaporation rate:	not determined

Other information

Odour threshold: not determined

10. Stability and reactivity**Reactivity**

No hazardous reaction when handled and stored according to provisions.

Chemical stability

Stability: Stable

The product is stable under storage at normal ambient temperatures.

Possibility of hazardous reactions

Hazardous reactions: May occur

The formation of combustible vapours is possible at temperatures above: Flash point. Vapours can form explosive mixtures with air.

Conditions to avoid

Heat

Safety Data Sheet

according to 29 CFR 1910.1200(g)

SoftC 2A

Revision date: 06.04.2020

Page 6 of 8

Incompatible materials

Do not store together with: Strong acid. Oxidising agent. Pyrophoric or self-heating substances.

Hazardous decomposition products

No known hazardous decomposition products.

11. Toxicological information

Information on toxicological effects

Route(s) of Entry

Inhalation, ingestion, dermal, Eye contact.

Acute toxicity

Based on available data, the classification criteria are not met.

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitizing effects

May cause an allergic skin reaction (rosin; colophony)

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - repeated exposure

Based on available data, the classification criteria are not met.

Carcinogenicity (OSHA): No ingredient of this mixture is listed.

Carcinogenicity (IARC): Carbon black (CAS 1333-86-4) is listed in group 2B. Ferric oxide (CAS 1309-37-1) is listed in group 3.

Carcinogenicity (NTP): No ingredient of this mixture is listed.

Aspiration hazard

May be fatal if swallowed and enters airways

12. Ecological information

Ecotoxicity

The product is not: Ecotoxic.

Persistence and degradability

The product has not been tested.

Bioaccumulative potential

The product has not been tested.

Mobility in soil

The product has not been tested.

Other adverse effects

No information available.

Further information

Avoid release to the environment.

13. Disposal considerations

Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

Safety Data Sheet

according to 29 CFR 1910.1200(g)

SoftC 2A

Revision date: 06.04.2020

Page 7 of 8

Contaminated packaging

This material and its container must be disposed of as hazardous waste. Handle contaminated packages in the same way as the substance itself.

14. Transport information**US DOT 49 CFR 172.101**

Proper shipping name: No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

UN number: No dangerous good in sense of this transport regulation.

UN proper shipping name: No dangerous good in sense of this transport regulation.

Transport hazard class(es): No dangerous good in sense of this transport regulation.

Packing group: No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

UN number: No dangerous good in sense of this transport regulation.

UN proper shipping name: No dangerous good in sense of this transport regulation.

Transport hazard class(es): No dangerous good in sense of this transport regulation.

Packing group: No dangerous good in sense of this transport regulation.

Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

Special precautions for user

No information available.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

15. Regulatory information**U.S. Regulations****National Inventory TSCA**

CAS No. 1333-86-4: Yes.

CAS No. 64742-55-8: Yes.

CAS No. 1309-37-1: Yes.

CAS No. 8050-09-7: Yes.

National regulatory information

SARA Section 311/312 Hazards:

rosin; colophony (8050-09-7): Immediate (acute) health hazard

State Regulations**Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)**

WARNING: This product can expose you to chemicals including Carbon black (airborne, unbound particles of respirable size) (cancer), which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

16. Other information**Hazardous Materials Information Label (HMIS)**

Health: *2

Flammability: 1

Physical Hazard: 0

Safety Data Sheet

according to 29 CFR 1910.1200(g)

SoftC 2A

Revision date: 06.04.2020

Page 8 of 8

NFPA Hazard Ratings

Health:	2
Flammability:	1
Reactivity:	1
Unique Hazard:	
Revision date:	06.04.2020
Revision No:	1,00

**Abbreviations and acronyms**

ACGIH: American Conference of Governmental Industrial Hygienists
CFR: Code of Federal Regulations
DOT: Department of Transportation
ICAO: International Civil Aviation Organization
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
IARC: International Agency for Research on Cancer
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
CAS: Chemical Abstracts Service
NFPA: National Fire Protection Association
NTP: National Toxicology Program
OSHA: Occupational Safety and Health Administration
PEL: permissible exposure limit
REL: recommended exposure limit
SARA: Superfund Amendments and Reauthorization Act
STEL: Short-term exposure limit
TSCA: Toxic Substances Control Act
TWA: time-weighted average
TI: Technical Instructions
DGR: Dangerous Goods Regulations
UN: United Nations
ATE: Acute toxicity estimate
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%
LL50: Lethal loading, 50%
EL50: Effect loading, 50%
EC50: Effective Concentration 50%
ErC50: Effective Concentration 50%, growth rate
NOEC: No Observed Effect Concentration
BCF: Bio-concentration factor
MARPOL: International Convention for the Prevention of Marine Pollution from Ships
IBC: Intermediate Bulk Container
VOC: Volatile Organic Compounds

Other data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)